

WEX UI

- Title
 - admin
 - admin login
 -
- themes
 - logo
 - title

Title

Title

admin

vi /apps/wex/es/wlpapps/servers/admin/apps/ESAdmin.ear/ESAdmin.war/banner.jsp

```
<!-- ***** ES COPYRIGHT START *****  
// @copyright(external)  
//  
// BEGIN_COPYRIGHT  
//  
// Licensed Materials - Property of IBM  
//  
// 5727-I17  
// (C) Copyright IBM Corp. 2003, 2015 All Rights Reserved.  
//  
// US Government Users Restricted Rights - Use, duplication or  
// disclosure restricted by GSA ADP Schedule Contract with  
// IBM Corp.  
//  
// END_COPYRIGHT  
//  
// @endCopyright  
//***** ES COPYRIGHT END ***** -->  
  
<%@page import="com.ibm.es.admin.utils.SessionSecurityUtil"%>  
<%@page import="com.ibm.es.admin.valueObjects.SecurityUser"%>  
<%@ page contentType="text/html; charset=utf-8" %>  
<%@ taglib uri="/tlds/struts-bean" prefix="fmt" %>  
  
<%@ page import="com.ibm.es.admin.utils.AdminConfig" %>  
<%@ page import="com.ibm.es.admin.edition.Edition" %>  
  
<%  
String productNameKey;  
  
productNameKey = Edition.get().getEditionNameMessageKey();
```

```
SecurityUser securityUser = SessionSecurityUtil.getSecurityUser(request);
```

```
String adminRole = securityUser.getRole();
```

```
%>
```

```
<style>
```

```
span.banner a, span.banner a:link, span.banner a:active, span.banner a:visited {
```

```
    color: white;
```

```
    cursor: pointer;
```

```
    text-decoration: none;
```

```
    font-weight: normal;
```

```
}
```

```
span.banner a:hover {
```

```
    text-decoration: underline;
```

```
}
```

```
.oneui .icaAdminHeader.idxHeaderContainer .idxHeaderPrimary li.idxHeaderPrimaryAction > * {
```

```
    float: right;
```

```
}
```

```
</style>
```

```
<div class="icaAdminHeader idxHeaderContainer">
```

```
    <div class="idxHeaderPrimaryThin">
```

```
        <div class="idxHeaderPrimary" role="banner">
```

```
            <div class="idxHeaderPrimaryInner">
```

```
                <ul role="menubar">
```

```
                    <li>
```

```
                        <span><div class="idxHeaderPrimaryTitle"><fmt:message
```

```
key='<%=productNameKey%>'/></div></span>
```

```
                    <span><div class="idxHeaderPrimaryTitle">SPELIX TEST</div></span>
```

```
                    <img alt="SPELIX logo" data-bbox="302 771 359 784"/>
```

```
                </li>
```

```
            <li class="idxHeaderPrimaryAction idxHeaderEnd">
```

```
                <span>
```

```
                    <div class="idxHeaderLogoBox">
```

```
                        <div alt="SPELIX" class="idxHeaderLogo">
```

```
                            <span class="idxTextAlternative">SPELIX</span>
```

```

        </div>
    </div>
</span>
</li>
<li class="idxHeaderPrimaryAction idxHeaderHelp"></li>
<li role="separator" class="idxHeaderPrimaryAction
idxHeaderSeparator"><span></span></li>
    <li class="idxHeaderPrimaryAction">
        <span>
            <a href="<%=request.getContextPath()%>" onclick="Javascript:return
viewAbout();"
                title="<fmt:message key='About' />" class="idxHeaderUserName">
                <fmt:message key="About" />
            </a>
        </span>
        <span>
            <a href="<%=request.getContextPath()%>" onclick="Javascript:return
viewHelp();"
                title="<fmt:message key='toolbar.help' />" class="idxHeaderUserName">
                <fmt:message key="toolbar.help" />
            </a>
        </span>
        <% if (!Edition.isEnabled(Edition.Function.AUTHENTICATION_DELEGATION)) { %>
        <span>
            <a href="javascript:;" onclick="return logoutActionHandler();"
                title="<fmt:message key='toolbar.logout' />" class="idxHeaderUserName">
                <fmt:message key="toolbar.logout" />
            </a>
        </span>
        <% } %>
    <%
        if(AdminConfig.isWCECAEdition() &&
        (SecurityUser.SecurityRole.ENTERPRISE_SEARCH_ADMINISTRATOR.getRoleNumber().equals(adminRole) ||
        SecurityUser.SecurityRole.CUSTOMIZER_ADMINISTRATOR.getRoleNumber().equals(adminRole))) {
            %>
        <span>

            <a href=" ../ui/analytics/customizer" title="<fmt:message key='toolbar.analyticsCustomizer' />"
            class="idxHeaderUserName" target="_blank">

```

```
        <fmt:message key="toolbar.analyticsCustomizer" />
      </a>
    </span>
    <% if (Edition.isEnabled(Edition.Function.SEARCH_COLLECTION)) { %>
  <span>
    <a href="../ui/search/customizer" title="<fmt:message
key='toolbar.searchCustomizer' />" class="idxHeaderUserName" target="_blank">
      <fmt:message key="toolbar.searchCustomizer" />
    </a>
  </span>
  <% } %>
  <% } %>
</li>
</ul>
</div>
</div>
</div>
</div>
```

Title

admin login

vi /apps/wex/es/wlpapps/servers/admin/apps/ESAdmin.ear/ESAdmin.war/bannerLogin.jsp

```
<!-- ***** ES COPYRIGHT START *****  
// @copyright(external)  
//  
// BEGIN_COPYRIGHT  
//  
// Licensed Materials - Property of IBM  
//  
// 5727-I17  
// (C) Copyright IBM Corp. 2003, 2015 All Rights Reserved.  
//  
// US Government Users Restricted Rights - Use, duplication or  
// disclosure restricted by GSA ADP Schedule Contract with  
// IBM Corp.  
//  
// END_COPYRIGHT  
//  
// @endCopyright  
//***** ES COPYRIGHT END ***** -->  
  
<%@ page contentType="text/html; charset=utf-8" %>  
<%@ taglib uri="/tlds/struts-bean" prefix="fmt" %>  
  
  
<%@ page import="com.ibm.es.admin.utils.AdminConfig" %>  
<%@ page import="com.ibm.es.admin.edition.Edition"%>  
  
  
<%  
String productNameKey;  
productNameKey = Edition.get().getEditionNameMessageKey();  
%>
```

```

<style>
  span.banner a, span.banner a:link, span.banner a:active, span.banner a:visited {
    color: white;
    cursor: pointer;
    text-decoration: none;
    font-weight: normal;
  }
  span.banner a:hover {
    text-decoration: underline;
  }

  .oneui .icaAdminHeader.idxHeaderContainer .idxHeaderPrimary li.idxHeaderPrimaryAction > * {
    float: right;
  }
</style>

```

```

<div class="icaAdminHeader idxHeaderContainer">
  <div class="idxHeaderPrimaryThin">
    <div class="idxHeaderPrimary" role="banner">
      <div class="idxHeaderPrimaryInner">
        <ul role="menubar">
          <li>

            <span><div class="idxHeaderPrimaryTitle"><fmt:message
key='<%=productNameKey%>'/></div></span>

```

```

<span><div class="idxHeaderPrimaryTitle">SPELIX LOGIN</div></span>

```



```

</li>

    <li class="idxHeaderPrimaryAction idxHeaderEnd">
      <span>
        <div class="idxHeaderLogoBox">
          <div alt="SPELIX" class="idxHeaderLogo">
            <span class="idxTextAlternative">SPELIX</span>
          </div>
        </div>
      </span>
    </li>

```



```
        </span>
      </li>
      <li class="idxHeaderPrimaryAction idxHeaderHelp"></li>
      <li role="separator" class="idxHeaderPrimaryAction
idxHeaderSeparator"><span></span></li>
      <li class="idxHeaderPrimaryAction">
      </li>
    </ul>
  </div>
</div>
<div class="blueBar"></div>
</div>
</div>
```

Title



vi /apps/wex/esdata/master_config/searchserver/repo/search/default/config.properties

```
#migrated with latest default_config files
#Mon Apr 18 15:35:18 KST 2022
facet.correlation.colors=[{"value":2.0, "color":"\#ffba00"}, {"value":4.0,
"color":"\#ff6300"}, {"value":8.0, "color":"\#ff5000"}, {"value":16.0, "color":"\#ff0000"}]
preferences.result.queryLang=
result.displayFields=
```

```
menu.disable.ICAPPluginUserSessionMenu=[]
preferences.result.sortOrder=desc
preferences.result.spellCorrection=true
menu.disable.ICAPPluginProductMenu=[]
welcome.cookie=com.ibm.ica.welcome.search.doNotShow
preferences.result.queryMode=engine
preferences.query.savedQuery=[]
preferences.result.menuDisplayType=icon
preferences.search.languages=
collection.type=Search
preferences.result.quickLink=true
preferences.result.sortKey=relevance
preferences.result.duplicateDetection=true
menu.disable.ICAPPluginDocumentToolbar=[]
menu.disable.ICAPPluginDashboardLayoutMenu=[]
report.dateFormat.iso8601=yyyy-MM-dd'T'HH\:mm\:ssZ
documentCategorizer.show.ownRuleOnly=false
date.fields=modifieddate|createddate|date|atompublished|atomupdated|creationdate
preferences.result.typeAheadNumberOfResults=10
link.fields=
result.filters.title=
product.title=IBM Watson Explorer Content Analytics
```

product.title=

```
report.dateFormat.excel=yyyy-MM-dd HH\:mm\:ss
menu.disable.ICAPuginAnalyticsToolbar=[]
preferences.result.findSimilarSimilarity=1.0
result.summaryLength.level5=200
result.summaryLength.level4=150
result.summaryLength.level3=100
result.summaryLength.level2=75
result.summaryLength.level1=50
documentCategorizer.rebuildButton.display=true
result.filters.url=
preferences.search.sources=
preferences.result.siteCollapse=false
preferences.enableWebStorage=false
preferences.search.doctypes=
menu.disable.ICAPuginDocumentMenu=["ICAPugin_Document_QueryBuilder"]
result.filters.personThumbnail=
preferences.result.pagingDisplayType=both
preferences.search.scopes=
menu.disable.ICAPuginSearchBar=[]
pref.options=ica/ResultOption|ica/SearchFilter
helpUrl=https://www.ibm.com/support/knowledgecenter/SS8NLW_12.0.0/com.ibm.discovery.es.hel
p.sa.doc/
preferences.collection.selected=
preferences.report.dateFormat.select=epoch
logoutUrl=
preferences.layout=facetsearch.json
thumbnail.availableDocumentTypes=application/vnd.lotus-freelance|application/x-lotus-
123|application/vnd.lotus-wordpro|application/rtf|application/x-
msexcel|application/msword|application/x-mspowerpoint|application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet|application/vnd.openxmlformats-
officedocument.presentationml.presentation|application/vnd.openxmlformats-
officedocument.wordprocessingml.document|application/pdf|application/x-js-
taro|application/vnd.visio|application/vnd.stardivision.writer|application/vnd.stardivision.calc|applic
ation/vnd.stardivision.impress|application/vnd.sun.xml.writer|application/vnd.sun.xml.calc|applicati
on/vnd.sun.xml.impress|application/vnd.oasis.opendocument.text|application/vnd.oasis.opendocum
ent.spreadsheet|application/vnd.oasis.opendocument.presentation|application/vnd.ms-
excel.sheet.binary.macroEnabled.12|application/vnd.ms-
excel.sheet.macroEnabled.12|application/vnd.ms-
powerpoint.presentation.macroEnabled.12|application/vnd.ms-
powerpoint.slideshow.macroEnabled.12|application/vnd.ms-word.document.macroEnabled.12
preferences.result.searchSynonym=true
preferences.collection.federated=false
preferences.result.displayPersonFields=
```

```
preferences.storeKeyPrefix=com.ibm.es.ica.  
result.documentPart=aggregation  
preferences.result.nearDuplicateBarChart=false  
preview.load.more=50000  
preferences.result.typeAheadMode=queryLog,text  
preferences.result.summaryLength=3  
result.filters.thumbnail=  
preferences.result.displayCategories=scopes  
query.smartFacetMode=true
```

themes 

themes

logo

/apps/wex/es/wlpapps/servers/admin/apps/ESAdmin.ear/ESAdmin.war/dojo/idx/themes/<themes name>/idx/app/images/headerLogo.png

<themes name> oneui headerLogo.png

themes

title

title

/apps/wex/es/wlpapps/servers/admin/apps/ESAdmin.ear/ESAdmin.war/dojo/idx/themes/<themes name>/idx/document.css

/apps/wex/es/wlpapps/servers/admin/apps/ESAdmin.ear/ESAdmin.war/dojo/idx/themes/oneui/idx/document.css

```
.oneui .idxHeaderContainer .idxHeaderPrimary .idxHeaderPrimaryTitle {
  font-size: 2.08em;
  color: #ffffff;
  font-weight: bold;
  text-shadow: 0 1px rgba(0, 0, 0, 0.3);
}
```

oneui .idxHeaderContainer .idxHeaderPrimary .idxHeaderPrimaryTitle {

<themes name> oneui headerLogo.png

headerLogo.png

Header

/apps/wex/es/wlpapps/servers/admin/apps/ESAdmin.ear/ESAdmin.war/dojo/idx/themes/oneui/idx/app

oneui